



PIEDRA stone collections



MADERA wood collectio



OPERA opus collecti



FIORA flowery collection



BESPOKE customization

# RECREATE THE BEAUTY OF ELEMENTS

Offering sustainable surface solutions with eco-friendly materials developed from the essence of woods, stones and other man-made materials to maintain the beauty as much as the element where the idea was extracted from.









### **MADERA**

wood collections

Wood is known for its enigma and timeless visual appeal in interior design. Designers and home owners are drawn to wood because of its natural beauty and design versatility.

Cocorosa Madera, a luxurious collection of Luxury Vinyl tile designs inspired by wood. Beautiful and undeniably elegant, these wood look luxury vinyl tiles offer a palette of natural colours and unique grain patterns – they're exceptional for evoking classic masculinity or high glamour.





































































































































































































































































MADERA DECK Cinder














## SPECIAL PIECES



#### SMART SELECT LUXURY VINYL FLOORING LIMITED WARRANTY PERIODS

Thickness	Core	Wear layer	Attached pad	Res	idential Warranty	L. Commercial Warranty			
3.2 mm	Rigid Core	8 mil (0.2mm)	Y/N	10 y	ears	5 years			
3.2 mm	Rigid Core	12 mil (0.3mm)	Y/N	15 y	ears	7 years			
4 mm	Rigid Core	12 mil (0.3mm)	Y/N	20 y	ears	8 years			
5 mm	Rigid Core	20 mil (0.5mm)	Y/N	Limi	ted Lifetime	10 years			
Definitions for applications in terms of LVT									
RESIDENTIAL		LIGHT COMMERCIAL			COMMERCIAL				
Kitchen		Small restaurant			Large restaurant				
Dining room		Small retail shop			Large retail, large office				
Bedroom		Waiting rooms			Hair salon (working area)				
Bathroom		Trade booths			School classroom				
Recreation rooms, foyers		Small Office			Nurses Station				

<sup>\*</sup>Residential use, or household conditions means the daily activities commonly associated with residential use.

## TECHNICAL SPECIFICATIONS

Clasification	Test Standard	Result
Reaction to fire	EN ISO 9239-1	B fl – s1
Impact Insulation Class	ASTM E492-09	52
Sound Transmission Class	ASTM E90-09	54
Determination the content of formaldehyde	ISO 16000-3	A+
Performance	Test Standard	Result
Wear resistance	EN660-1	Group T
Residual indentation after static load	EN436	Pass
Dimensional stability and curling after exposure to heat	EN434	Pass
Flexibility	EN435	Pass
Measurement of dynamic coefficient of friction on dry floor surface	E13893	Pass
Slip resistance	DIN 51130	R10
Resilience to chemicals	EN423	Class 0

## FORMATS & RANDOMNESS

LVT Glue Down LVT Loose Lay	INCHES MM Faces	6"X36" 152.4x914.4 6	6"X48" 152.4X1219.2 6	7.25"X48" 184.15X1219.2 5	9"X48" 228.6X1219.2 4	-
LVT Click	INCHES MM FACES	6"X48" 148X1220 6	7.25"X48" 180X1220 5	9"X48" 226X1220 4	-	
LVT Sintered Core SPC Rigid Core	INCHES 6"X48" MM 148X1220 FACES 6	7.25"X48" 180X1220 5	9"X48" 226X1220 4	7.25"X60" 180X1520 5	9"X60" 226X1520 4	

<sup>\*</sup>Light commercial is defined as environments which do not have heavy commercial traffic, where the flooring is not exposed to a heavy commercial maintenance schedule and where the interior temperature and humidify can be controlled and maintained.

<sup>\*</sup>Commercial is defined as environments which have heavy commercial traffic.



email info@cocorosasurfaces.com phone +86 0757 8252 5005

www.cocorosasurfaces.com