



COCOROSA
SURFACES

FROS⁰¹



MADERA
wood collections



PIEDRA stone collections



MADERA wood collections



OPERA opus collections



FIORA flowery collections



BESPOKE customization

RECREATE THE BEAUTY OF ELEMENTS

Offering sustainable surface solutions with eco-friendly materials developed from the essence of woods, stones and other man-made materials to maintain the beauty as much as the element where the idea was extracted from.





MADERA

wood collections

Wood is known for its enigma and timeless visual appeal in interior design. Designers and home owners are drawn to wood because of its natural beauty and design versatility.

Cocorosa Madera, a luxurious collection of Luxury Vinyl tile designs inspired by wood. Beautiful and undeniably elegant, these wood look luxury vinyl tiles offer a palette of natural colours and unique grain patterns – they're exceptional for evoking classic masculinity or high glamour.

COCOROSA
SURFACES



100%
Waterproof



Antislip
Surfaces



Fire
Prevention



Stain
Resistant



Realistic
Finish



Scratch
Resistant



High Impact
Resistance



LVT
GLUE
DOWN



LVT
CLICK



LVT
LOOSE
LAY



LVT
SPC
STRONG
SINTERED
CORE



FINE
TOUCH

MADERA
FROS⁰¹
Crema
FROS 4101

FINETOUCH



MADERA
FROS⁰¹
Crema
FROS 4101



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT GLUE DOWN



LVT CLICK



LVT LOOSE LAY



SPC RIGID CORE



FINE TOUCH

MADERA FROS⁰¹
Ash
FROS 4102

FINETUCH



MADERA FROS⁰¹
Ash
FROS 4102



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT
GLUE
DOWN



LVT
CLICK



LVT
LOOSE
LAY



LVT
REALITY
MIMICRY
SINTERED
CORE



SPC
REALITY
MIMICRY
RIGID
CORE



FINE
TOUCH

MADERA
FROS⁰¹
Cinder
FROS 4103

FINETOUCH



MADERA
FROS⁰¹
Cinder
FROS 4103



100%
Waterproof



Antislip
Surfaces



Fire
Prevention



Stain
Resistant



Realistic
Finish



Scratch
Resistant



High Impact
Resistance



LVT
GLUE
DOWN



LVT
CLICK



LVT
LOOSE
LAY



LVT
REALITY
PLUS
SINTERED
CORE



SPC
REALITY
PLUS
SINTERED
CORE



FINE
TOUCH

MADERA
FROS⁰¹
Sandal
FROS 4104

FINETOUCH



MADERA
FROS⁰¹
Sandal
FROS 4104



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT GLUE DOWN



LVT CLICK



LVT LOOSE LAY



SPC RIGID CORE



FINE TOUCH

MADERA FROS⁰¹
Maple
FROS 4105

FINETOUCH



MADERA FROS⁰¹
Maple
FROS 4105



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT GLUE DOWN



LVT CLICK



LVT LOOSE LAY



SPC RIGID CORE



FINE TOUCH

MADERA FROS⁰¹
Gris
FROS 4106

FINETOUCH



MADERA FROS⁰¹
Gris
FROS 4106



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT GLUE DOWN



LVT CLICK



LVT LOOSE LAY



LVT EQUAL TO NATURE SINTERED CORE



SPC EQUAL TO NATURE RIGID CORE



FINE TOUCH

MADERA FROS⁰¹
Pine
FROS 4107

FINETOUCH



MADERA FROS⁰¹
Pine
FROS 4107



100%
Waterproof



Antislip
Surfaces



Fire
Prevention



Stain
Resistant



Realistic
Finish



Scratch
Resistant



High Impact
Resistance



LVT
GLUE
DOWN



LVT
CLICK



LVT
LOOSE
LAY



LVT
REALITY
MICROSLIP
SINTERED
CORE



SPC
REALITY
MICROSLIP
RIBBED
CORE



FINE
TOUCH

MADERA
FROS⁰¹
Teak
FROS 4108

FINETOUCH



MADERA
FROS⁰¹
Teak
FROS 4108



100% Waterproof



Antislip Surfaces



Fire Prevention



Stain Resistant



Realistic Finish



Scratch Resistant



High Impact Resistance



LVT GLUE DOWN



LVT CLICK



LVT LOOSE LAY



SPC HDPE WOOD GRAIN SINTERED CORE



FINE TOUCH

MADERA FROS⁰¹
Taupe
FROS 4109

FINETOUCH



MADERA FROS⁰¹
Taupe
FROS 4109



100%
Waterproof



Antislip
Surfaces



Fire
Prevention



Stain
Resistant



Realistic
Finish



Scratch
Resistant



High Impact
Resistance



LVT
GLUE
DOWN



LVT
CLICK



LVT
LOOSE
LAY



LVT
EQUALS
WOODEN
SINTERED
CORE



SPC
EQUALS
WOODEN
RIBBED
CORE



FINE
TOUCH

MADERA
FROS⁰¹
Oscuro
FROS 4110

FINETOUCH



MADERA
FROS⁰¹
Oscuro
FROS 4110

MADERA
FROS⁰¹
Crema
FROS 4101

MADERA
FROS⁰¹
Ash
FROS 4102

MADERA
FROS⁰¹
Cinder
FROS 4103

MADERA
FROS⁰¹
Sandal
FROS 4104

MADERA
FROS⁰¹
Maple
FROS 4105



MADERA
FROS⁰¹
Gris
FROS 4106


MADERA
FROS⁰¹
Pine
FROS 4107

MADERA
FROS⁰¹
Teak
FROS 4108

MADERA
FROS⁰¹
Taupe
FROS 4109

MADERA
FROS⁰¹
Oscuro
FROS 4110

SPECIAL PIECES



SMART SELECT LUXURY VINYL FLOORING LIMITED WARRANTY PERIODS

Thickness	Core	Wear layer	Attached pad	Residential Warranty	L. Commercial Warranty
3.2 mm	Rigid Core	8 mil (0.2mm)	Y / N	10 years	5 years
3.2 mm	Rigid Core	12 mil (0.3mm)	Y / N	15 years	7 years
4 mm	Rigid Core	12 mil (0.3mm)	Y / N	20 years	8 years
5 mm	Rigid Core	20 mil (0.5mm)	Y / N	Limited Lifetime	10 years

Definitions for applications in terms of LVT

RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL
Kitchen	Small restaurant	Large restaurant
Dining room	Small retail shop	Large retail, large office
Bedroom	Waiting rooms	Hair salon (working area)
Bathroom	Trade booths	School classroom
Recreation rooms, foyers	Small Office	Nurses Station

*Residential use, or household conditions means the daily activities commonly associated with residential use.

*Light commercial is defined as environments which do not have heavy commercial traffic, where the flooring is not exposed to a heavy commercial maintenance schedule and where the interior temperature and humidity can be controlled and maintained.

*Commercial is defined as environments which have heavy commercial traffic.

TECHNICAL SPECIFICATIONS

Clasification	Test Standard	Result
Reaction to fire	EN ISO 9239-1	B fl – s1
Impact Insulation Class	ASTM E492-09	52
Sound Transmission Class	ASTM E90-09	54
Determination the content of formaldehyde	ISO 16000-3	A+
Performance	Test Standard	Result
Wear resistance	EN660-1	Group T
Residual indentation after static load	EN436	Pass
Dimensional stability and curling after exposure to heat	EN434	Pass
Flexibility	EN435	Pass
Measurement of dynamic coefficient of friction on dry floor surface	E13893	Pass
Slip resistance	DIN 51130	R10
Resilience to chemicals	EN423	Class 0

FORMATS & RANDOMNESS

LVT Glue Down LVT Loose Lay	INCHES	6"X36"	6"X48"	7.25"X48"	9"X48"	-
	MM	152.4x914.4	152.4X1219.2	184.15X1219.2	228.6X1219.2	-
	FACES	6	6	5	4	-
LVT Click	INCHES	6"X48"	7.25"X48"	9"X48"	-	-
	MM	148X1220	180X1220	226X1220	-	-
	FACES	6	5	4	-	-
LVT Sintered Core SPC Rigid Core	INCHES	6"X48"	7.25"X48"	9"X48"	7.25"X60"	9"X60"
	MM	148X1220	180X1220	226X1220	180X1520	226X1520
	FACES	6	5	4	5	4

email info@cocorosurfaces.com
phone +86 0757 8252 5005

www.cocorosurfaces.com



COCOROSA
SURFACES