



PIEDRA stone collections



MADERA wood collectio



OPERA opus collecti



FIORA flowery collection



BESPOKE customization

RECREATE THE BEAUTY OF ELEMENTS

Offering sustainable surface solutions with eco-friendly materials developed from the essence of woods, stones and other man-made materials to maintain the beauty as much as the element where the idea was extracted from.









MADERA

wood collections

Wood is known for its enigma and timeless visual appeal in interior design. Designers and home owners are drawn to wood because of its natural beauty and design versatility.

Cocorosa Madera, a luxurious collection of Luxury Vinyl tile designs inspired by wood. Beautiful and undeniably elegant, these wood look luxury vinyl tiles offer a palette of natural colours and unique grain patterns – they're exceptional for evoking classic masculinity or high glamour.

































































































































































































































































































SPECIAL PIECES



SMART SELECT LUXURY VINYL FLOORING LIMITED WARRANTY PERIODS

| Thickness | Core | Wear layer | Attached pad | Res | idential Warranty | L. Commercial Warranty | | | | |
|----------------------------------------------|------------|-------------------|--------------|------------------|----------------------------|------------------------|--|--|--|--|
| 3.2 mm | Rigid Core | 8 mil (0.2mm) | Y/N | 10 y | ears | 5 years | | | | |
| 3.2 mm | Rigid Core | 12 mil (0.3mm) | Y/N | 15 y | ears | 7 years | | | | |
| 4 mm | Rigid Core | 12 mil (0.3mm) | Y/N | 20 y | ears | 8 years | | | | |
| 5 mm | Rigid Core | 20 mil (0.5mm) | Y/N | Limi | ted Lifetime | 10 years | | | | |
| Definitions for applications in terms of LVT | | | | | | | | | | |
| RESIDENTIAL | | LIGHT COMMERCIAL | | | COMMERCIAL | | | | | |
| Kitchen | | Small restaurant | | Large restaurant | | | | | | |
| Dining room | | Small retail shop | | | Large retail, large office | | | | | |
| Bedroom | | Waiting rooms | | | Hair salon (working area) | | | | | |
| Bathroom | | Trade booths | | | School classroom | | | | | |
| Recreation rooms, foyers | | Small Office | | Nurses Station | | | | | | |

^{*}Residential use, or household conditions means the daily activities commonly associated with residential use.

TECHNICAL SPECIFICATIONS

| Clasification | Test Standard | Result |
|---------------------------------------------------------------------|---------------|-----------|
| Reaction to fire | EN ISO 9239-1 | B fl – s1 |
| Impact Insulation Class | ASTM E492-09 | 52 |
| Sound Transmission Class | ASTM E90-09 | 54 |
| Determination the content of formaldehyde | ISO 16000-3 | A+ |
| Performance | Test Standard | Result |
| Wear resistance | EN660-1 | Group T |
| Residual indentation after static load | EN436 | Pass |
| Dimensional stability and curling after exposure to heat | EN434 | Pass |
| Flexibility | EN435 | Pass |
| Measurement of dynamic coefficient of friction on dry floor surface | E13893 | Pass |
| Slip resistance | DIN 51130 | R10 |
| Resilience to chemicals | EN423 | Class 0 |

FORMATS & RANDOMNESS

| LVT Glue Down LVT Loose Lay | INCHES MM FACES | 6"X36" 152.4x914.4 6 | 6"X48" 152.4X1219.2 6 | 7.25"X48" 184.15X1219.2 5 | 9"X48" 228.6X1219.2 4 - - - | - |
|-------------------------------------|--------------------------------------------------------------------------|----------------------------|-----------------------------|---------------------------------|--------------------------------------------|---|
| LVT Click | INCHES 6"X48" MM 148X1220 FACES 6 INCHES 6"X48" MM 148X1220 FACES 6 | 148X1220 | 7.25"X48" 180X1220 5 | 9"X48" 226X1220 4 | | |
| LVT Sintered Core SPC Rigid Core | | 7.25"X48" 180X1220 5 | 9"X48" 226X1220 4 | 7.25"X60" 180X1520 5 | 9"X60" 226X1520 4 | |

^{*}Light commercial is defined as environments which do not have heavy commercial traffic, where the flooring is not exposed to a heavy commercial maintenance schedule and where the interior temperature and humidify can be controlled and maintained.

^{*}Commercial is defined as environments which have heavy commercial traffic.



email info@cocorosasurfaces.com phone +86 0757 8252 5005

www.cocorosasurfaces.com