



COCOROSA
SURFACES

GLACE



PIEDRA
stone collections



PIEDRA stone collections



MADERA wood collections



OPERA opus collections



FIORA flowery collections



BESPOKE customization

RECREATE THE BEAUTY OF ELEMENTS

Offering sustainable surface solutions with eco-friendly materials developed from the essence of woods, stones and other man-made materials to maintain the beauty as much as the element where the idea was extracted from.



PIEDRA

stone collections

Whether you are a true believer in the green movement or you're just passionate in bringing the beauty of nature into your home, there's no denying the appeal of natural materials in interior design.

PIEDRA, a beautiful collection inspired by natural stone. Gorgeous and extremely durable, stone-look tile is definitely a smart choice for floors and walls, and very easy to take care of as well. With its fine variety of modern designs and sizes, PIEDRA is sure to add an elegant touch to any décor scheme.

COCOROSA
SURFACES



100%
Waterproof



Antislip
Surfaces



Fire
Prevention



Stain
Resistant



Realistic
Finish



Scratch
Resistant



High Impact
Resistance




PIEDRA GLACE
Ivory
GLACE 01



PIEDRA
GLACE
Ivory
GLACE 01

SPECIAL PIECES



SMART SELECT LUXURY VINYL FLOORING LIMITED WARRANTY PERIODS

Thickness	Core	Wear layer	Attached pad	Residential Warranty	L. Commercial Warranty
3.2 mm	Rigid Core	8 mil (0.2mm)	Y / N	10 years	5 years
3.2 mm	Rigid Core	12 mil (0.3mm)	Y / N	15 years	7 years
4 mm	Rigid Core	12 mil (0.3mm)	Y / N	20 years	8 years
5 mm	Rigid Core	20 mil (0.5mm)	Y / N	Limited Lifetime	10 years

Definitions for applications in terms of LVT

RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL
Kitchen	Small restaurant	Large restaurant
Dining room	Small retail shop	Large retail, large office
Bedroom	Waiting rooms	Hair salon (working area)
Bathroom	Trade booths	School classroom
Recreation rooms, foyers	Small Office	Nurses Station

*Residential use, or household conditions means the daily activities commonly associated with residential use.

*Light commercial is defined as environments which do not have heavy commercial traffic, where the flooring is not exposed to a heavy commercial maintenance schedule and where the interior temperature and humidity can be controlled and maintained.

*Commercial is defined as environments which have heavy commercial traffic.

TECHNICAL SPECIFICATIONS

Classification	Test Standard	Result
Reaction to fire	EN ISO 9239-1	B fl – s1
Impact Insulation Class	ASTM E492-09	52
Sound Transmission Class	ASTM E90-09	54
Determination the content of formaldehyde	ISO 16000-3	A+

Performance	Test Standard	Result
Wear resistance	EN660-1	Group T
Residual indentation after static load	EN436	Pass
Dimensional stability and curling after exposure to heat	EN434	Pass
Flexibility	EN435	Pass
Measurement of dynamic coefficient of friction on dry floor surface	E13893	Pass
Slip resistance	DIN 51130	R10
Resilience to chemicals	EN423	Class 0

FORMATS & RANDOMNESS

	INCHES	12"X24"	18"X36" *	18"X48" *	-	-
LVT Click	MM	305x610	460X935	460X1220	-	-
LVT Sintered Core	FACES	3	2	2	-	-
SPC Rigid Core						
LVT Glue Down	INCHES	12"X24"	18"X36" *	18"X18"	12"X24"	36"X36"
LVT Loose Lay	MM	304.8X609.6	457.2X914.4	457.2X457.2	609.6X609.6	914.4X914.4
	FACES	3	2	4	4	1

* non-standard formats/size, production upon request/order



COCOROSA

SURFACES

email info@cocorosurfaces.com
phone +86 0757 8252 5005

www.cocorosurfaces.com