




PIEDRA STONE COLLECTIONS

Whether you are true believer in the green movement or you're just passionate in bringing the beauty of nature into your home, there's no denying the appeal of natural materials in interior design.

PIEDRA, beautiful collections of porcelain tile designs inspired by natural stone & marble. Gorgeous and extremely durable, stone-look tile is definitely a smart choice for floors and walls, and very easy to take care of as well. With its fine variety of modern designs and sizes, PIEDRA is sure to add an elegant touch to any décor scheme.

FLUST

FLUST is a series of WIFI ceramics inspired by the smooth veins of river stones. Each tile in the FLUST series features a unique design that mimics the natural patterns found in stones along river banks. These tiles are not only aesthetically pleasing, but also highly functional to enhance your home or office. The FLUST series blends style and technology, bringing a touch of natural beauty and modern convenience to your living space.







FLUST BEIGE

FST612041H

60X120 9 Randomness HONED surface white glazed &Flat


APPLICATIONS


Interior Exterior Wall Floor Residential Commercial

PIEDRA STONE COLLECTIONS











FLUST **ASH**

FST612042H

60X120 9 Randomness HONED surface white glazed &Flat


APPLICATIONS

Interior Exterior Wall Floor Residential Commercial

> PIEDRA STONE COLLECTION











FLUST TAUPE

FST612043H

60X120 9 Randomness HONED surface white glazed &Flat


APPLICATIONS

Interior Exterior Wall Floor Residential Commercial

> PIEDRA STONE COLLECTION











FLUST

FST612044H

60X120 9 Randomness HONED surface white glazed &Flat

APPLICATIONS

Interior Exterior Wall Floor Residential Commercial

> PIEDRA STONE COLLECTION





TECHNICAL SPECIFICATIONS

DESCRIPTION	STANDARD TEST	MEASUREMENT UNIT	ISO STANDARD REQUIREMENT	WIF i
Length & Width	ISO 10545 - 2	mm	± 0.5% Max	± 0.5% Max
Thickness	ISO 10545 - 2	mm	± 5.0% Max	± 5.0% Max
Sides Straightness	ISO 10545 - 2	mm	± 0.5% Max	± 0.5% Max
Rectangularity	ISO 10545 - 2	mm	± 0.6% Max	± 0.6% Max
Flatness: a) Centre Curvature b) Edge Curvature c) Warpage	ISO 10545 - 2 ISO 10545 - 2 ISO 10545 - 2	mm mm mm	± 0.5% Max ± 0.5% Max ± 0.5% Max	± 0.5% Max ± 0.5% Max ± 0.5% Max
Surface Quality	ISO 10545 - 2	One major area of tiles	≥ 95% free from visible defect	≥ 95% free from visible defect
Water Absorption	ISO 10545 - 3	Mass	≤ 0.5%	0.5%
Modulus of Rupture	ISO 10545 - 4	N/mm2	≥ 35N/mm2	≥ 35N/mm2
Deep Abrasion	ISO 10545 - 6	mm3	≤ 175 mm3	≤ 175 mm3
Surface Abrasion PEI ASTM C1027	ISO 10545 - 7	Visual Check	Manuf. to state Abrasion Class, Cycle Passed	Manuf. to state Abrasion Class, Cycle Passed
Crazing Test	ISO 10545 - 11	Visual Check	Not Applicable for porcelain tiles	Not Applicable for porcelain tiles
Frost Resistance	ISO 10545 - 12	Visual Check	Required	Required
Chemical Resistance (Low Cons.)	ISO 10545 - 13	Visual Check	Manuf. to state	Manuf. to state
Chemical Resistance (Household/Swimming Pool)	ISO 10545 - 13	Visual Check	Max Visible Change On Cut Side	Max Visible Change On Cut Side
Stain Resistance	ISO 10545 - 14	Visual Check	Class 3 Min	Class 3 Min
Coefficient of Friction	ISO 10545 - 17	Manuf. to state	Manuf. to state	Manuf. to state

Each different tiles series is produced to meet different performance requirements. For specific product technical performance please request from **WIFI** sales team or their agent or distributor.

Colour Variations: Since the colour reproduction in this printed piece will vary from the actual tile colours, final selection should be made from tile samples Colour, shade and glaze variations may exist due to the inherent characteristics of porcelain tile.



No. 13-17, Building A16, International Ceramics and Sanitary Ware City, Jihua West Road, Nanzhuang Town, Chancheng District, Foshan City Guangdong Province, China. +86-757-8252 5001 nfo@wificeramics.com .www.wificeramics.com